

**WATER & SEWER
COMMISSION**

Hydrant Flow Test Field Notes

Client: _____ Date: _____ Time: _____

Location: _____

Tested by : _____ Witness: _____

Gauge Hydrant (A)

Flowing Hydrant (B)

Location: _____

Location: _____

Make: _____

Make: _____

Main: _____ Elev: _____
(hydrant to 1st floor)

Main: _____ Elev: _____
(hydrant to 1st floor)

Static Pressure: _____ PSI

Distance _____ feet
(Hydrant A to Hydrant B)

Flow 1 Residual: _____ PSI

Pitot: _____ PSI GPM _____

Flow 2 Residual _____ PSI

Pitot: _____ PSI GPM _____

Flow (GPM) @ 20 PSI: $Q_{20} = \frac{\text{Rated capacity}}{\text{Discharge flow (gpm) in GPM calculated from the flow hydrant}}$ $\times \frac{\text{(static pressure - 20 PSI)}}{\text{(static - residual pressure)}}$ $\times 0.54$

or $Q_2 = \frac{Q_1 (S - R_2)}{S - R_1} \times 0.54$

Multiply right hand ratio of equation by pitot gage calculation of GPM to obtain GPM at 20 PSI.

Q20 = _____ GPM

TABLE 17-8A. Numbers to 0.54 Power

h	$h^{0.54}$	h	$h^{0.54}$	h	$h^{0.54}$	h	$h^{0.54}$	h	$h^{0.54}$
1	1.00	36	6.93	71	9.99	106	12.41	141	14.47
2	1.45	37	7.03	72	10.07	107	12.47	142	14.53
3	1.81	38	7.13	73	10.14	108	12.53	143	14.58
4	2.11	39	7.23	74	10.22	109	12.60	144	14.64
5	2.39	40	7.33	75	10.29	119	12.66	145	14.69
6	2.63	41	7.43	76	10.37	111	12.72	146	14.75
7	2.86	42	7.53	77	10.44	112	12.78	147	14.80
8	3.07	43	7.62	78	10.51	113	12.84	148	14.86
9	3.28	44	7.72	79	10.59	114	12.90	149	14.91
10	3.47	45	7.81	80	10.66	115	12.96	150	14.97
11	3.65	46	7.91	81	10.73	116	13.03	151	15.02
12	3.83	47	8.00	82	10.80	117	13.09	152	15.07
13	4.00	48	8.09	83	10.87	118	13.15	153	15.13
14	4.16	49	8.18	84	10.94	119	13.21	154	15.18
15	4.32	50	8.27	85	11.01	120	13.27	155	15.23
16	4.48	51	8.36	86	11.08	121	13.33	156	15.29
17	4.62	52	8.44	87	11.15	122	13.39	157	15.34
18	4.76	53	8.53	88	11.22	123	13.44	158	15.39
19	4.90	54	8.62	89	11.29	124	13.50	159	15.44
20	5.04	55	8.71	90	11.36	125	13.56	160	15.50
21	5.18	56	8.79	91	11.43	126	13.62	161	15.55
22	5.31	57	8.88	92	11.49	127	13.68	162	15.60
23	5.44	58	8.96	93	11.56	128	13.74	163	15.65
24	5.56	59	9.04	94	11.63	129	13.80	164	15.70
25	5.69	60	9.12	95	11.69	130	13.85	165	15.76
26	5.81	61	9.21	96	11.76	131	13.91	166	15.81
27	5.93	62	9.29	97	11.83	132	13.97	167	15.86
28	6.05	63	9.37	98	11.89	133	14.02	168	15.91
29	6.16	64	9.45	99	11.96	134	14.08	169	15.96
30	6.28	65	9.53	100	12.02	135	14.14	170	16.01
31	6.39	66	9.61	101	12.09	136	14.19	171	16.06
32	6.50	67	9.69	102	12.15	137	14.25	172	16.11
33	6.61	68	9.76	103	12.22	138	14.31	173	16.16
34	6.71	69	9.84	104	12.28	139	14.36	174	16.21
35	6.82	70	9.92	105	12.34	140	14.42	175	16.26